



The Seven Periods of English Architecture, by

Edmund Sharpe This eBook is for the use of anyone anywhere at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org

Title: The Seven Periods of English Architecture Defined and Illustrated

Author: Edmund Sharpe

Illustrator: T. Austin

Release Date: February 14, 2012 [EBook #38879]

Language: English

Character set encoding: ISO-8859-1

*** START OF THIS PROJECT GUTENBERG EBOOK THE SEVEN PERIODS OF ENGLISH ***

Produced by Chris Curnow, Diane Monico, and the Online Distributed Proofreading Team at <http://www.pgdp.net> (This file was produced from images generously made available by The Internet Archive)

THE

SEVEN PERIODS

OF

ENGLISH ARCHITECTURE.

THE SEVEN PERIODS OF ENGLISH ARCHITECTURE DEFINED AND ILLUSTRATED.

BY EDMUND SHARPE, M.A., ARCHITECT.

TWENTY STEEL ENGRAVINGS AND WOODCUTS.

THIRD EDITION.

[Illustration]

E. & F. N. SPON, 125, STRAND, LONDON. NEW YORK: 12, CORTLANDT STREET. 1888.

PREFACE.

"We have been so long accustomed to speak of our National Architecture in the terms, and according to the classification bequeathed to us by Mr. Rickman, and those terms and that classification are so well understood and have been so universally adopted, that any proposal to supersede the one, or to modify the other, requires somewhat more than a mere apology. To disturb a Nomenclature of long standing, to set aside terms in familiar use, and to set up others in their place which are strange, and therefore at first unintelligible, involves an interruption of that facility with which we are accustomed to communicate with one another on any given subject, that is only to be justified by reasons of a cogent and satisfactory nature.

"The sufficiency of Mr. Rickman's Nomenclature and Divisions, and their suitableness at the time and for the purpose for which they were made, are best evidenced by the fact that, although the attempts to supersede them have been both numerous and persevering, they have remained for nearly half a century the principal guide to the Architectural Student; and Mr. Rickman's 'Attempt to discriminate the Styles of Architecture in England,' is still the Text-book from which the greater part of the popular works of the present day have been compiled.

"In referring, however, to these attempts to supersede Mr. Rickman's system, it is proper to remark that one observation applies to the whole of them;--although they propose to change the Nomenclature of his different styles, or to subdivide them, his main division of English Architecture into four great Periods or Styles, is adopted by all, and still remains undisturbed. No point, therefore, has been hitherto proposed to be gained by these alterations, beyond a change of name; and this may be taken as a sufficient reason why none of these attempts have been successful: men are not willing to unlearn a term with which they are familiar, however inappropriate, in order to learn another, which, after all, means the same thing.

"Although, however, Mr. Rickman's simple division of Church Architecture into four Periods, or Styles, may perhaps have been the one best suited to his time, and to the elementary state of the knowledge of the subject possessed by the best informed Archæologists of his day, it may with propriety be questioned how far such a division is suited to the exigencies of writers of the present day, or to the present advanced tastes of knowledge on the subject.

"Simplicity was doubtless the object Mr. Rickman had in view in his division of English Architecture into four Styles only. This is a recommendation, however, which can hardly be said to hold good at the present day: it behoves us to consider well, perhaps more especially at the present moment, whether Mr. Rickman's

system fulfils all the conditions essential to one calculated for popular and universal use; and whether we should therefore seek to confirm and to perpetuate it, or whether the time has not arrived for the adoption of a more detailed and accurate division of the long and noble series of buildings which contain the History of our National Architecture from the Heptarchy to the Reformation."[A]

No one can enter into an inquiry of this kind without eventually coming to the conclusion that there are two large classes of Buildings containing distinctive marks of peculiarity of character, which find no place in Mr. Rickman's system, but which nevertheless, from the number and importance of their examples, are pre-eminently entitled to separate classification. These two classes are those to which the buildings enumerated at pp. 24, and 31, 32 respectively belong, and which cannot, without circumlocution, be described in any of the terms prescribed by Mr. Rickman.

As regards the earlier of these two classes, the extent to which these distinctive peculiarities of detail exist, will perhaps at first scarcely be credited, and proofs of a much more extensive and satisfactory character than are contained in the following pages, or could be looked for in an elementary work of this nature, will probably be required before its title to separate classification will be universally conceded.

As regards the later of these classes, the same difficulty does not exist. Mr. Rickman divided the whole of the buildings of Pointed Architecture into three Styles or Classes, which he denominated "Early English," "Decorated," "Perpendicular." The titles of the two last he professed to derive from the character of their windows, conceiving, no doubt justly, that no part of a Gothic building exhibits peculiarities of Style in so prominent and characteristic a manner as its windows. In strict accordance with this rule, which may be assumed to be a correct and valuable one, it has already been shown,[B] that had Mr. Rickman gone a step further and classed the whole of the buildings of Pointed Architecture according to the forms of their Windows under *four* heads, instead of *three*, he would have obtained a classification equally simple, but more intelligible and convenient; he would have obviated much that is confused and indefinite, and therefore perplexing to the Architectural Student, in his description of buildings which belong to the class to which we are now referring, and would have enabled us to compare the buildings of our own Country with those of corresponding character, and nearly contemporaneous date on the Continent, in a manner that would have established an analogy between them, which, according to the present classification, has no apparent existence.

The inability to describe, or speak of any of the buildings belonging to either of these two classes, including some of the finest in the kingdom, otherwise than as examples of an intermediate and anomalous character, exhibiting the peculiarities partly of one style and partly of another, but belonging specifically to neither, must be admitted to be a serious defect in all hitherto recognised systems of Architectural Nomenclature; and there are probably few Architecturalists who have not frequently felt the inconvenience arising from the want of more explicit and definite terms than at present exist, by means of which to describe the buildings of these two classes.

It is to remedy these defects, and to provide for this want, that the following division of the History of our National Architecture into Seven Periods instead of Four, is now formally proposed, under the belief that some such Division as this, by whatever terms it may be characterised, will sooner or later force itself into universal adoption. With respect to the terms themselves it would be unreasonable to expect the same unanimity; the following considerations, however, would seem to bring their selection within narrow limits. It would appear, in the first place, unadvisable to designate any of the later Periods, except the last, by any of the terms hitherto in use, as tending probably to confusion and misapprehension, from the difficulty of limiting their signification to the extent proposed in the minds of those who have been accustomed to use them in a more ample sense: and to retain the last, if the others be abandoned, and a more appropriate or analogous term can be found, appears to be still less desirable.

At the same time it is much to be desired that the terms we use should be not altogether strange, and, if

possible, self-explanatory. These two conditions are such as to render it difficult to find terms such as to be in all respects perfectly satisfactory; and perhaps no system of Nomenclature could be found so perfect as to be entirely free from objection.

The reasons which have caused the adoption of the terms made use of in the following system, are fully given in their proper place, and it only remains for the Author to notice that the terms "Curvilinear" and "Rectilinear" were first proposed by a writer in the "British Critic," some years ago, as a substitute for Mr. Rickman's terms "Decorated" and "Perpendicular;" and in a sense, therefore, as regards the former of these terms, essentially different from that in which it is here proposed to be applied. The rest must be more or less familiar to all who have been of late engaged in the study.

The Author desires to take this opportunity of acknowledging his obligations to Mr. T. Austin, by whom all the subjects, with one exception, have been measured and drawn from the buildings themselves; as well as to Mr. G. B. Smith, by whom the whole have been engraved on steel, for the accuracy and appearance of the principal illustrations.

FOOTNOTES:

[Footnote A: The preceding paragraphs, distinguished by inverted commas, formed part of the introduction to a Paper "On the Geometrical Period of English Church Architecture," read by the Author at the Lincoln meeting of the Archæological Institute in July 1848.]

[Footnote B: "Treatise on the Rise and Progress of Window Tracery," by E. Sharpe, M.A. Van Voorst, London.]

CONTENTS.

PAGE

CHAPTER I.

INTRODUCTION 1

CHAPTER II.

CLASSIFICATION 3

CHAPTER III.

COMPARTMENTS 13

CHAPTER IV.

8

CHAPTER IV.

SAXON PERIOD 15

CHAPTER V.

NORMAN PERIOD 17

CHAPTER VI.

TRANSITIONAL PERIOD 21

CHAPTER VII.

LANCET PERIOD 25

CHAPTER VIII.

GEOMETRICAL PERIOD 29

CHAPTER IX.

CURVILINEAR PERIOD 33

CHAPTER X.

RECTILINEAR PERIOD 37

LIST OF PLATES.

NORMAN PERIOD.

Exterior ELY CATHEDRAL Nave.

Interior " " "

Exterior PETERBOROUGH CATHEDRAL Choir.

Interior " " "

TRANSITIONAL PERIOD.

Exterior RIPON CATHEDRAL Choir.

Interior " " "

LANCET PERIOD.

Exterior ELY CATHEDRAL Presbytery.

Interior " " "

Exterior LINCOLN CATHEDRAL Nave.

Interior " " "

Exterior " " Choir.

Interior " " "

GEOMETRICAL PERIOD.

Exterior LINCOLN CATHEDRAL Presbytery.

Interior " " "

Exterior LICHFIELD CATHEDRAL Nave.

Interior " " "

CURVILINEAR PERIOD.

Exterior ELY CATHEDRAL Choir.

Interior " " "

RECTILINEAR PERIOD.

Exterior WINCHESTER CATHEDRAL Nave.

Interior " " "

THE SEVEN PERIODS OF ENGLISH ARCHITECTURE.

CHAPTER I.

INTRODUCTION.

To present at a single glance a comprehensive view of the History of English Church Architecture from the Heptarchy to the Reformation, and to do this in a manner, which, without taxing too seriously the memory of the student, may enable him to fix in his mind the limits, and the general outline of the inquiry he is about to enter upon, is the object of the present treatise.

Instead therefore of entering, as is usual in elementary works of this nature, into a detailed account of all the parts of an Ecclesiastical structure, a certain portion only of such a building has for this purpose been selected, and so exhibited in the garb in which it appeared at successive intervals of time, as to present to the reader a means of comparison that will enable him readily to apprehend the gradual change of form through which it passed from the Eleventh to the Sixteenth Centuries, and at once to recognise the leading characteristics of the several Periods into which it is here proposed to divide the History of our National Architecture. Having thus fixed these leading characteristics in his mind, he will then be in a condition to follow us hereafter, if he pleases, into the detail of the whole subject, and to become familiar with those niceties of distinction, the detection of which--escaping, as they do, the eye of the general observer--contributes so materially to the enjoyment of the study, and a perfect acquaintance with which is so absolutely essential to a correct understanding of the true History of the Art.

That this mode of approaching the study of this subject is a convenient one, will probably be admitted by those who may remember the difficulties they encountered, in their early attempts to acquire a general conception of the scheme of the History of Church Architecture, as given in most of the manuals now in use; and the complexity of detail in which they found themselves immediately involved on the very threshold of their inquiry.

It has been the practice in most elementary works on Church Architecture to derive the illustrations of the subject, indifferently from the smaller and the larger buildings of the Kingdom; and by implication to assign an equal authority to both. It will be readily admitted, however, that the History of an Art is to be gathered from its principal Monuments, and not from those the design or execution of which may have been entrusted to other than the ablest masters of the Period: in the choice, therefore, of the examples which have been selected to illustrate the series of changes which are described in the following pages, reference has been made principally to the great Cathedral, Abbey, and Collegiate Churches of the Kingdom, and occasionally only to some of the larger Parish Churches whose size or importance would seem to bring them under the above denomination.

CHAPTER II.

CLASSIFICATION.

Church Architecture in England, from its earliest existence down to the Sixteenth Century, was in a state of constant progress, or transition, and this progress appears to have been carried on, with certain exceptions in different parts of the country, very nearly simultaneously. It follows from this circumstance, first, That it is impossible to divide our National Architecture correctly into any number of distinct *Orders* or *Styles*; and secondly, That any Division of its History into a given number of *Periods*, must necessarily be an arbitrary one. It is nevertheless absolutely essential for the purpose of conveniently describing the long series of noble monuments which remain to us, that we should adopt some system of chronological arrangement, which may enable us to group, and to classify them in a distinct and intelligible manner: and although no broad lines of demarcation in this connected series are discernible--so gradual was the change--yet so rapid and so complete was it also, that a period of fifty years did not elapse without a material alteration in the form and fashion of every detail of a building.

Now it will be readily conceived that, even in the midst of this continual change, certain favourite forms would remain in use longer than others; and that this circumstance may possibly afford us the opportunity of which we are in search; and enable us in the adoption of any such arbitrary Division so to define and to characterise the Architecture of its different Periods, as to render this Historical Survey and our future descriptions sufficiently intelligible.

One principal Division of Church Architecture has been recognised and adopted by all who have studied and written on the subject; that, namely, which separates Ecclesiastical Buildings into two classes, in the first or earlier of which the *circular arch* was exclusively employed; and in the second or later, the *pointed arch* alone was used. To the former of these two Classes, the term ROMANESQUE has been given, and to the latter, the term GOTHIC.

This division is so simple, and at the same time so strongly marked, that without entering into a discussion as to the value or propriety of the terms themselves, and contenting ourselves with the fact that they are already in general use, we can have little hesitation in adopting this primary division as the groundwork of our system.

At the same time, it is manifest, that, for purposes of description, it is not sufficiently minute; and that a further subdivision is necessary: it is also clear, that it excludes a large class of buildings that were erected during the period which intervened between the first appearance of the pointed arch, and the final disappearance of the circular arch.

As regards the buildings of the Romanesque Period, no subdivision of them can be more satisfactory than that which has already been for some time in use, and which divides them into those which were built before and after the Conquest, and designates them accordingly SAXON and NORMAN.

As regards the buildings of that Intermediate Period just mentioned, to none can the term TRANSITIONAL so aptly be applied as to those erected under influences created by that remarkable contest between two great antagonistic principles, which, after having been carried on for a period of nearly fifty years, terminated in a complete revolution in the style of building at the end of the Twelfth Century.

Lastly, as regards the Gothic Period, no subdivision of it appears to be so natural and convenient, as that which is suggested by the four principal changes of form through which the Window passed from the Thirteenth to the Fifteenth Centuries.

These changes have been fully illustrated by the author in a former work,[C] and will be therefore only briefly recapitulated here.

For half a century or more, after the disappearance of the circular arch, the window appeared under a form, which from its general resemblance to a *lancet*, in its length, breadth, and principal proportions, rather than from any uniform acuteness in the shape of its head, led to the universal application of that term to all the windows of this Period. This observation applies equally to the window whether used singly, or in groups of two, three, five, or seven; and equally also to the later as to the earlier examples of this Period.

[Illustration: TEMPLE CHURCH.]

It is proposed therefore to denominate this the LANCET PERIOD of Gothic Architecture.

Towards the close of this Period the practice of combining a plurality of Lancets, under one arch, or hood-moulding--and of piercing the solid spaces that intervened between the heads of these lancets and the underside of this arch in various ornamental ways, became common; by the adoption of which, a group of several lancets was converted into a single window of several lights. Out of this practice arose a novel and beautiful discovery; this was the invention of *Tracery*.

[Illustration: CROFT.]

For nearly three-quarters of a century after its introduction the Tracery of windows contained forms in which that simplest of all Geometrical figures, the *Circle*, was principally conspicuous: and although, in the latter part of this Period, the Circle does not obtain the same prominent place, in the centre of the window-head, and as the principal feature of the design, that is generally allotted to it in the earlier examples, yet the important part that it bears in the construction of the design of even the whole of these later examples, fully justifies the application of the term, already pretty generally in use, to this class of windows; and entitles us to call this Period after that figure, and "par excellence," the GEOMETRICAL PERIOD.

[Illustration: HOWDEN.]

At the close of this Period a feature began to make its way into the subordinate parts of the tracery, which had already shown itself for some time previously in the mouldings, and which eventually exercised a most important influence on the Architecture of the next half-century.

This feature is the curve which mathematicians call the *curve of contra-flexure*, and which is known amongst architecturalists as the *Ogee*.

[Illustration: WILSFORD.]

The flowing nature of this curve imparted to the Tracery a grace and an ease which the rigid outline of the Circle denied it: and affords us a strong point of contrast whereby to distinguish the Architecture of the two Periods. The sinuosity of form which characterises the tracery, pervades also the mouldings, the carved work, and all the details of this Period, and enables us to designate it appropriately as the CURVILINEAR PERIOD.

[Illustration: WINCHESTER.]

In the latter part of this Period, a horizontal bar, or *transom*, as it is called, was occasionally used in the lower part of the window. Whether this bar was introduced for the purpose of strengthening the mullions, or for the sake of proportion, it speedily grew into frequent use. At the same time also vertical lines presented themselves occasionally in the Tracery; a new principle, in fact, had made its appearance, which rapidly overran not only the windows, but the doorways, the arcades, and every part of the building. The straight line, when once introduced, quickly superseded the curved line; square panels covered the walls; angularity of form pervaded even the mouldings and minor details, and to the round finish, the square edge was preferred.

This, the last of the four Periods of Gothic Architecture which extended over a term of nearly two Centuries, we propose accordingly to call the RECTILINEAR PERIOD.

The History of our National Architecture will thus be divided into Seven Periods, the order and duration of which are as follows:--

ROMANESQUE.

A.D. A.D. YEARS.

I. SAXON PERIOD from ---- to 1066, prevailed --

II. NORMAN PERIOD " 1066 " 1145, " 79

III. TRANSITIONAL PERIOD " 1145 " 1190, " 45

GOTHIC.

IV. LANCET PERIOD " 1190 " 1245, " 55

V. GEOMETRICAL PERIOD " 1245 " 1315, " 70

VI. CURVILINEAR PERIOD " 1315 " 1360, " 45

VII. RECTILINEAR PERIOD " 1360 " 1550, " 190

[Illustration: INTERIOR COMPARTMENT.]

CLERE-STORY.

27 Boss. 26 Vaulting Ribs (Transverse). 25 do. (Longitudinal). 24 Vault. 23 Sill of C. Window. 22 Mullion of do. 21 Tracery of do. 20 Arch-mouldings of C. Arch. 19 Bases of Jamb of do. 18 Capitals of do. 17 Jamb-mouldings of do. 16 Clere-story String.

BLIND-STORY. (Triforium.)

15 Capitals of Vaulting Shaft. 14 Tracery of Triforium. 13 Triforium-Arch. 12 Bases of T. Piers. 11 Capitals of do. 10 Pier of T. (Secondary). 9 do. (Primary). 8 Triforium String.

GROUND-STORY.

7 Corbel. 6 Vaulting-Shaft. 5 Pier-Arch. 4 do. Band. 3 do. Base. 2 do. Capital. 1 Pier.

[Illustration: EXTERIOR COMPARTMENT.]

CLERE-STORY.

28 Parapet. 27 Cornice. 26 Clere-story Buttress. 25 Flying Buttress. 24 Tracery of C. Window. 23 Window Arch. 22 Mullions of C. Window. 21 Sill of do. 20 Jambs of do. 19 Weather Table.

AISLE COMPARTMENT.

18 Aisle Roof. 17 Capping to Buttress. 16 Parapet. 15 Cornice. 14 Gurgoyle. 13 Canopied Set-off. 12 Plain Set-off. 11 Tracery. 10 Window Arch. 9 Mullion. 8 Sill. 7 Bases of Window Shafts. 6 Capitals of do. 5 Jambs. 4 Canopied Niche. 3 String-Course. 2 Buttress. 1 Base-Course.

FOOTNOTES:

[Footnote C: "Treatise on the Rise and Progress of Window Tracery." Van Voorst, London.]

CHAPTER III.

EXTERIOR AND INTERIOR COMPARTMENTS.

The most perfect type of a church built in England, during the best ages of Church Architecture, may be said to contain the following essentials:--

1. The Ground Plan is after the form of the Latin Cross, and is divisible *longitudinally* into three portions; namely,

THE CHOIR, THE TRANSEPTS, THE NAVE.

2. The Choir and the Nave, and occasionally the Transepts, are divided, by means of columns and arches, *transversely* into three portions, consisting of the

CENTRE AISLE, NORTH AISLE, SOUTH AISLE.

3. The MAIN WALL of each of the first-mentioned separate portions of the building is divisible, in the interior *vertically* into three portions, or Stories, consisting of

THE GROUND-STORY, THE TRIFORIUM OR BLIND-STORY, THE CLERE-STORY.

Now on viewing any of these Main Walls of a building, whether on the inside, or the outside, it will be at once seen that they consist, in their entire length, of a series of single and separate portions, or *Compartments*, tied together, and connected by the horizontal lines, or String courses, which traverse them from end to end; and that each of these single Compartments embodies within itself the spirit of the whole design, and may be said to represent, individually, the MAIN IDEA of the Building.

It is this portion of such a building then--a single Compartment of the Exterior and Interior of the Main Walls of the Choir or Nave, and its adjacent Aisle--that we have selected for the purpose of instituting that comparison which will enable us to fix and define the characteristics of the Seven Periods of English Architecture.

Neglecting, therefore, for the present, the Gable Ends, the Towers and Turrets, the Porches, the Doorways, the Chapels, the Cloisters, and all the other adjuncts of an Ecclesiastical Building, and bestowing our entire attention upon these Exterior and Interior Compartments, we will proceed at once to a comparison of their several parts, and consider in order the mode of treatment they received at the hands of the builders, of each of these Seven Periods, commencing with the earliest and descending to the latest.

CHAPTER IV.

THE SAXON PERIOD.

A.D. ---- TO A.D. 1066.

Inasmuch as there does not remain to us a single Exterior or Interior Compartment in any Cathedral or Conventual Church of genuine Saxon Architecture, the comparative illustration of this Period is rendered impossible.

A few Piers and Arches exist indeed, in all probability, in the Churches of BRIXWORTH in Northamptonshire, St. Michael's at ST. ALBANS, and REPTON in Derbyshire; but they differ considerably in their character from one another, and as widely probably in their date. We have also a few Chancel and Tower arches left, which appear to belong to this Period; as well as some singular and interesting Towers, a few Doorways and Windows, and some considerable portions of masonry. Altogether, however, these remains are not such as to enable us to define, with any degree of certainty, the nature and character of the *Main Walls* of a Saxon Cathedral, and are, therefore, not available for our present purpose.

BUILDINGS

OF

THE SAXON PERIOD.

BRIXWORTH All Saints' Church Nave, Tower. REPTON St. Wistan's Church Crypt, Chancel. BARNACK St. John's Church Tower. BARTON St. Peter's Church Tower. EARL'S BARTON All Saints' Church Tower. WHITTINGHAM St. Bartholomew's Church Tower and Pier-arch. CAMBRIDGE St. Benet's Church Tower. SOMPTING Parish Church Tower. DEERHURST Holy Trinity Church Tower. CORHAMPTON Parish Church Nave. STANTON LACY St. Peter's Church Nave. ST. ALBANS St. Michael's Church Nave. STOW St. Mary's Church Transepts. WORTH Parish Church Nave, Chancel. WING All Saints' Church Chancel.

CHAPTER V.

NORMAN PERIOD.

PRINCIPAL CHARACTERISTIC.

THE UNIVERSAL USE OF THE CIRCULAR ARCH IN EVERY PART OF A BUILDING THROUGHOUT THE WHOLE PERIOD.

Exterior Compartment.

The walls of a Norman building are usually strong and massive, and built of small stones. They have a plain BASE-COURSE, of little projection, and are generally finished above with a CORBEL-TABLE, consisting sometimes of a series of small arches, on rude heads, and sometimes of a projecting horizontal table resting on a series of rudely sculptured blocks. Upon this Corbel-table is a plain PARAPET and COPING where these are left, which is rarely the case.

The compartments are divided by a shallow BUTTRESS or PILASTER STRIP.

The WINDOWS are low and broad, and have usually a single shaft set in an angular recess, carrying a cubical capital and a single roll.

The STRING-COURSES, when not plain, have frequently indented ornaments of different kinds--such as the *billet*, the *saw-tooth*, the *star*, and the *chevron*.

The CLERE-STORY WINDOWS, in the larger and richer buildings, are usually placed in an arcade, consisting of three or more arches, of which the centre one, filled by the window, is the largest.

Interior Compartment.

The proportions of the interior are invariably heavy and massive.

The PIERS consist either of a stout cylindrical column, or of a rectangular mass, having semicircular shafts attached to its different faces. They are sometimes, when circular, scored and ornamented with zig-zag, spiral, and other mouldings.

The CAPITALS are formed of a cubical block, rounded off on the lower side from the square to the circle, and are ordinarily of a heavy cumbrous character, and sometimes ornamented with rude sculpture of leaves and animals, carved in slight relief on the surface of the block.

The PIER-ARCHES, in early examples, are perfectly plain, and square edged, without mouldings or ornament; but more frequently they carry one or more heavy rolls on the angle of each order of the arch; and are often ornamented richly with concentric rows of chevron, billet, and other Norman ornaments.

The VAULTING or ROOF-SHAFT is usually a semicircular shaft rising from the floor--on the face of every alternate Pier--to the springing of the vault or roof.

In the earlier buildings the TRIFORIUM is generally occupied by one large arch, of somewhat less span and height than the pier-arch: but in the later examples, this arch is generally subdivided into two, and later still, into four small arches, carried on single shafts; the capitals, arch-mouldings, and other details, being all on a smaller scale, but of similar character, to those of the Ground-story.

In most Norman buildings of large size, the Triforium forms a very important part of the design of the Interior.

The CLERE-STORY in nearly all large buildings carries a gallery made in the thickness of the wall, which passes between the Clere-story Window and the inner face of the *Main Wall*. This inner face is accordingly carried on one or more arches. In Norman buildings, this Clere-story arcade usually consists of three arches, of which the middle one is the largest, and corresponds with the window. In some examples, this middle arch is stilted above the others, by being lifted on a second small shaft on each side, standing on the lower one which carries the side arches.

In almost all buildings of importance, an ARCADE is carried along the walls of the Church below the side-aisle windows. In Norman buildings this usually consists of a series of single or intersecting circular arches, resting on small cushion capitals on single shafts.

The side-aisles are usually covered with a plain circular quadripartite VAULT, having sometimes a diagonal rib, as well as a transverse band, moulded with single roll mouldings.

PRINCIPAL BUILDINGS

OF

THE NORMAN PERIOD.

TOWER OF LONDON White Chapel. ST. ALBANS Abbey Church Transepts, Nave. ROCHESTER Cathedral Church Nave. WINCHESTER Cathedral Church Transepts. HEREFORD Cathedral Church Nave. ELY Cathedral Church Transepts. LINCOLN Cathedral Church West End. CARLISLE Cathedral Church Nave. SELBY Abbey Church Transepts, Nave. GLOUCESTER Cathedral Church Nave. CHICHESTER Cathedral Church Nave. WALTHAM Abbey Church Choir. SOUTHWELL Abbey Church Transepts, Nave. DURHAM Cathedral Church Choir. CHRISTCHURCH Priory Church Transepts, Nave. NORWICH Cathedral Church Choir. TEWKESBURY Abbey Church Nave. DURHAM Cathedral Church Nave. LINDISFARNE Abbey Church Transepts, Nave. ROMSEY Abbey Church Choir, Transepts. WINCHESTER Cathedral Church Tower, Transepts. ELY Cathedral Church Nave. PETERBOROUGH Cathedral Church Choir. NORWICH Cathedral Church Nave. CASTLE ACRE Priory Church Nave.

CHAPTER VI.

TRANSITIONAL PERIOD.

PRINCIPAL CHARACTERISTIC.

THE CONTEMPORANEOUS USE, IN THE SAME BUILDING, OF CIRCULAR AND POINTED ARCHES.

Exterior Compartment.

On the outside the usual prevalence of the circular arch in the WINDOWS and DOORWAYS, gives still a Norman character to the building; but the BASE-COURSE and BUTTRESSES begin to show greater projection, and the walls are lightened in proportion.

The invariable Billet moulding disappears from the STRING-COURSES.

The WINDOWS are more elongated in form, and have lighter shafts.

The circular CORBEL-TABLE gives place to a regularly moulded CORNICE, carried on a series of blocks of uniform profile; and a sloped COPING covers the PARAPET.

In some of the latest examples indeed, the BUTTRESSES have SET-OFFS, and, rising above the parapet, have also a pyramidal Capping.

An increasing lightness of proportion is perceptible in all parts of the buildings of this Period.

Interior Compartment.

Except in the earliest examples of this Period, the heavy cylindrical column disappears; and the PIER consists of a lighter mass of semicircular shafts, and square edges; occasionally also, a shaft having a pear-shaped section is substituted for the semicircular shaft.

The CAPITALS consist still of a square block, moulded down to the circular form below; with this difference, however, that the lower part of the capital is hollowed down to the circle, instead of being left as in the Norman Period, full and round; the latter showing a *convex*, and the former a *concave* profile. Both the larger and the smaller Capitals have also very frequently an ornament peculiar to the Period, which consists of a small volute, forming the curled end of a plain leaf, which enfolds the bell of the Capital. This volute may be looked upon as one of the most characteristic features of the Period. The abacus of the capital is invariably square in plan, and has its upper edge (except in a few of the latest examples) also square in section.

In the later buildings of the Period, foliage, exhibiting considerable freedom of design, is occasionally to be seen.

The *Pointed Arch* first made its appearance in the Transitional Period; in the earlier buildings it is used in the *Arches of Construction* only, or those constituting the framework of the building, such as the Pier-arches and the Arches of the Vaulting, and of the Crossing; whilst the Circular Arch is used in the *Arches of Decoration* only, or those which may be said to constitute the panel-work, such as the windows, the arcades, the doorways, and such like. In the later buildings of the Period, however, the Pointed Arch is frequently found in some of the smaller arches also.

The PIER-ARCHES, therefore, are almost invariably pointed, in the earlier examples obtusely, and in the later examples often acutely; the mouldings, which have become much lighter, are few and plain; carrying usually a roll, or a pear-shaped moulding, at the angle of each order of the arch: they frequently have no HOOD-MOULDING. All the usual rich ornaments of the Norman Style disappear, but the Chevron occurs occasionally, and another ornamental moulding somewhat resembling it, but peculiar to this Period, is frequently seen.

The STRING-COURSES do not usually carry any ornament, and have commonly a simple section peculiar to the Period.

The VAULTING or ROOF-SHAFT has usually a pear-shaped section.

The TRIFORIUM-ARCADE has usually Circular Arches, but in the later examples the two forms of arch are frequently intermixed. The Shafts are of a much lighter character, and carry arches of simple mouldings.

The Pointed Arch, if found anywhere in the arches of Decoration, is generally to be seen in the CLERE-STORY, the highest part of the building, and consequently the latest in point of construction.

Plain pointed quadripartite VAULTING not unfrequently covers the side-aisles, and sometimes the centre-aisle.

The contrast presented by the discriminate use of the two forms of arch before mentioned, is sometimes strikingly exhibited in the side-aisles, where it is by no means uncommon to find a large plain circular window placed immediately under an acutely pointed wall rib, forming part of the contemporaneous pointed VAULTING of the side-aisle.

PRINCIPAL BUILDINGS

OF

THE TRANSITIONAL PERIOD.

MALMESBURY Abbey Church Nave. NORTHAMPTON St. Sepulchre's Church Nave. FOUNTAINS Abbey Church Transepts, Nave. KIRKSTALL Abbey Church Choir, Transepts, Nave. BUILDWAS Abbey Church Choir, Transepts, Nave. KELSO Abbey Church West Transept. ELY Cathedral Church West Transept. PETERBOROUGH Cathedral Church West Transept. ST. CROSS Abbey Church Choir, Transepts. FURNESS Abbey Church Transepts, Nave. LONDON Temple Church Nave. RIPON Cathedral Church Choir, Transepts, Nave. BRINKBURN Cathedral Church Choir, Transepts, Nave. LLANTHONY Abbey Church Choir, Nave. OXFORD Cathedral Church Choir, Transepts, Nave. DURHAM Cathedral Church Galilee. ROCHE Abbey Church Choir, Transepts, Nave. NEW SHOREHAM Abbey Church Choir, Transepts. SELBY Abbey Church Nave. BYLAND Abbey Church Choir, Transepts, Nave. JEDBURGH Abbey Church Nave. HARTLEPOOL Parish Church Chancel, Nave. GLASTONBURY Abbey Church Choir, Transepts, Nave. GLASTONBURY Abbey Church St. Joseph's Chapel. CANTERBURY Cathedral Church Choir. CANTERBURY Cathedral Church Trinity Chapel, Becket's crown. CHICHESTER Cathedral Church Choir, North Chapel. WELLS Cathedral Church Transepts, Nave.

CHAPTER VII.

LANCET PERIOD.

PRINCIPAL CHARACTERISTIC.

THE LANCET WINDOW USED SINGLY, IN COUPLETS AND TRIPLETS, AND ARRANGED IN GROUPS OF FOUR, FIVE, AND SEVEN.

Exterior Compartment.

The BUTTRESSES have considerable projection, are divided into stages, and have usually a plain pyramidal capping, and sometimes a plain pinnacle.

The BASE-COURSE Has also more projection and importance, and its upper members are frequently moulded.

FLYING-BUTTRESSES often span the roof of the side-aisle to support the main vaulting.

The WINDOWS in the earliest examples stand alone as single windows; they are also sometimes placed singly in a continuous arcade; later still in triplets under one arch, the centre one being the tallest, and in some instances two lancets are coupled under one arch,--the spandrel between them being frequently pierced with a quatrefoil, or other opening.

The PARAPET has occasionally sunk ornaments upon it, and is carried by a cornice having a few deep mouldings, with a flower, or other ornament at intervals, or by a trefoiled Corbel-table, or by a series of blocks.

Interior Compartment.

The PIERS consist most commonly of a cluster of shafts, disposed in a circular form. These shafts sometimes stand entirely free, and surround a large circular or octagonal column, and are banded in the middle.

The CAPITALS have sometimes one or two rows of stiff projecting leaves, of a bulbous form, which appear to grow out of the neck of the capital, and sometimes a single or double series of minute deeply cut mouldings; the square form of capital, both in the plan and in the upper edge of the abacus, entirely disappears.

The BASES consist almost invariably of a deep small hollow, set between two rounds, standing on a square-edged plinth; and greatly resemble the ordinary Attic base.

The PIER-ARCHES usually show three orders, of small deeply cut mouldings of alternate rounds and hollows, the number and depth of which give an exceedingly rich and characteristic appearance to all the arches of this Period. The peculiar ornament called the *dog-tooth*, which is formed by hollowing out the sides of a series of contiguous pyramids notched out of an angular projection, occurs constantly in the arch-mouldings, as well as in almost every other part of buildings where an opportunity of carving it presents itself.

The HOOD-MOULDING, resting on small and elegant heads or bosses, is an almost invariable accompaniment of arches of every description.

The VAULTING-SHAFT sometimes rises from the floor in front of the principal Pier,--but more usually from a corbel-shaft, resting on a large ornamental corbel, placed immediately over the pier; it consists generally of a triple cluster of small elegant shafts, with hollows between them.

The TRIFORIUM-ARCH generally covers two smaller arches; but occasionally, a pair of principal Triforium-arches cover two pair of subordinate arches, which are sometimes plain, and sometimes trefoiled; the spandrel wall above them being ornamented with foliage, or a sunk trefoil, and sometimes pierced through with a quatrefoil or other opening. Sometimes, indeed, one large primary arch covers two secondary arches, which again contain two small tertiary arches; thus fully developing the principle of subordination in this part of the building.

The principal TRIFORIUM-PIERS generally exhibit a row of light shafts on the face of a solid pier, carrying arch-mouldings of three orders, and separated sometimes by a line of dog-tooth moulding, or stiff foliage.

The *secondary piers* are usually single, double, or triple detached shafts, carrying the smaller arches.

Where the Triforium contains three orders of piers, the *tertiary pier* consists of a single shaft only, carrying the third order of arch-mouldings.

The VAULTING-SHAFT usually terminates in an elegant capital, just below the Clerestory-string, the mouldings of which form in that case the impost mouldings of the capital. The ARCADE generally corresponds with the windows, and consists either of a row of continuous arches, of equal height, or, as is commonly the case, of three tall arches carried on a triple shaft, of which the centre one is the loftiest: the mouldings and ornaments being similar to those of the rest of the building.

The VAULTING is generally simple, and acute, and usually of the quadripartite or sexpartite form.

The AISLE-ARCADE consists generally of a series of plain, or trefoil-headed arches on single shafts, carrying the usual mouldings and ornaments.

PRINCIPAL BUILDINGS

OF

THE LANCET PERIOD.

LINCOLN Cathedral Church Choir. WORCESTER Cathedral Church Choir. WINCHESTER Cathedral Church Lady Chapel. FOUNTAINS Abbey Church Choir, East Transept. WHITBY Abbey Church Choir. YORK Cathedral Church N. and S. Transepts. BOLTON Abbey Church Nave. BEVERLEY Minster Choir, Transepts. LINCOLN Cathedral Church Nave. LICHFIELD Cathedral Church Chapter House. WELLS Cathedral Church West Front. PETERBOROUGH Cathedral Church West Front. SOUTHWELL Collegiate Church Choir. OXFORD Cathedral Church Chapter House. HEREFORD Cathedral Church Lady Chapel. LANERCOST Abbey Church Nave. DURHAM Cathedral Church East Transept. RIEVAULX Abbey Church Choir. LONDON Temple Church Choir. SALISBURY Cathedral Church Choir. WORCESTER Cathedral Church Presbytery. WHITBY Abbey Church N. Transept. ELY Cathedral Church Presbytery.

CHAPTER VIII.

GEOMETRICAL PERIOD.

PRINCIPAL CHARACTERISTIC.

SIMPLE GEOMETRICAL TRACERY IN THE HEADS OF THE WINDOWS, IN PANELS AND IN ARCADES.

Exterior Compartment.

The BUTTRESSES have frequently set-offs, and canopies attached to their faces, carrying often a series of CROCKETS: these in the earlier examples are plain, stiff, and curled; but the later ones are formed by a gracefully disposed leaf. Towards the end of the Period, the buttresses became very bulky and massive, and carried little or no ornaments.

The PINNACLES have often the same ornament, and are crowned with finials composed of a bunch of foliage.

The CORNICE often carries a large ornamental leaf in its hollow, and the projecting Corbel-table is no longer seen.

The earlier WINDOWS exhibit tracery which consists almost exclusively of plain foliated circles; but in the later examples other simple geometrical forms were employed. The heads of the window lights, occasionally plain, were more frequently, even in the earlier examples, and invariably in the later ones, cusped or foliated.

The CLERE-STORY usually contains a single window, or at most a pair, containing tracery similar to that of the side-aisle windows, and the Clere-story arcade altogether disappears.

The CORNICE is usually similar to that of the side-aisles.

Interior Compartment.

The PIERS have occasionally, in the earlier examples, detached shafts; but they more usually consist of a solid mass of engaged shafts, separated by hollow mouldings, and disposed on the plan of a spherical triangle.

The BASES consist generally of a triple roll, standing on the usual plinth; and the CAPITALS carry foliage disposed much more freely and gracefully than in the preceding Period, and frequently of exquisite design.

The PIER-ARCHES have usually mouldings in three orders of very elegant profile, not so deeply cut, however, as in the Lancet Period: the favourite dog-tooth is nowhere seen, but late in the period a substitute for it was found in the ornament called the *Ball-flower*.

All BOSSES, FIGURES, and SCULPTURES of every kind are carved in the very best manner; and all STRING-COURSES and HOOD-MOULDINGS are moulded with the greatest care and elegance; indeed the art of carving in stone may be said to have attained its greatest perfection during this Period.

The TRIFORIUM in the earlier examples commonly contains a pair of double arches, carrying circular tracery in their heads: in the later examples, it becomes greatly reduced in size and prominence, and is made entirely subordinate to the Clere-story; and consists often of a low foliated arcade, or a band of plain tracery.

The inner arcade of the CLERE-STORY altogether disappears, and in its place is sometimes found a plane of Geometrical Tracery, corresponding with that of the window; but more commonly a single arch spans the entire compartment; and sometimes the gallery is dispensed with altogether.

The AISLE-ARCADE is often very elegant; the arches are usually foliated, and covered with a straight-sided canopy. Occasionally this arcade consists of a series of beautiful panels containing geometrical tracery, with mouldings of a very minute and elegant character.

Both the centre and side-aisles are generally covered with VAULTING of simple form, having characteristic bosses and rib-mouldings.

PRINCIPAL BUILDINGS

OF

THE GEOMETRICAL PERIOD.

WESTMINSTER Abbey Church Choir, Transepts. WESTMINSTER Abbey Church Chapter House. SALISBURY Cathedral Church Chapter House. HOWDEN Collegiate Church Transepts. ELY Cathedral Church South Transept, Chapel. HEREFORD Cathedral Church North Transept. LINCOLN Cathedral Church Presbytery. GRANTHAM Parish Church North Aisle. CHICHESTER Cathedral Church Nave, North Aisle. ST. ALBANS Abbey Church Choir. TINTERN Abbey Church Choir, Transepts. LICHFIELD Cathedral Church Nave. NEWSTEAD Abbey Church West End. YORK, ST. MARY'S Abbey Church Nave. EXETER Cathedral Church Lady Chapel. RIPON Cathedral Church East End. CHICHESTER Cathedral Church Lady Chapel. EXETER Cathedral Church Choir. MERTON COLLEGE Chapel Choir. YORK Cathedral Church Chapter House. SOUTHWELL Collegiate Church Chapter House. TEMPLE BALSALL Collegiate Church Chancel. HOWDEN Collegiate Church Nave. GUISBOROUGH Priory Church Choir. YORK Cathedral Church Nave. WELLS Cathedral Church Chapter House. ST. AUGUSTINE'S Abbey Gateway.

CHAPTER IX.

CURVILINEAR PERIOD.

PRINCIPAL CHARACTERISTIC.

FLOWING TRACERY IN THE WINDOWS, AND THE PREVALENCE OF THE OGEE CURVE IN ALL THE DETAILS.

Exterior Compartment.

As the Circle characterises the previous Period, so the Ogee marks the present Period. It is found not only in the principal outline of the tracery, but also in its smaller subdivisions; not only in the profiles of the mouldings, but also in the contour of the foliage and carved work.

The WINDOWS are the most important features in the Churches of this Period. In the more important buildings they are frequently of great size and elaborate design, and in the smaller buildings, the rest of the work seems often to have been impoverished for the sake of the Windows.

The infinite variety of design that is contained in the Tracery of this Period is very remarkable, and distinguishes its Architecture, in a manner not to be mistaken, from that of other nations during the same Period.

The BASE-COURSE carries a series of mouldings in which the Ogee profile is almost invariably found. The STRING-COURSES, HOOD-MOULDINGS, and SET-OFFS exhibit it also.

The BUTTRESSES are usually divided into a greater number of equal stages; their canopies, and those of their pinnacles, are invariably richly crocketed, and have usually the Ogee form instead of the straight pedimental finish.

The CORNICE carries usually a row of large square pateras of foliage, in a shallow hollow, and is often surmounted with a battlement, or a parapet pierced or panelled with a flowing trefoil or a quatrefoil.

The BALL-FLOWER which appeared at the end of the previous Period, became a favourite ornament for a short time in the commencement of this Period.

Interior Compartment.

The PIERS are usually disposed in plan in the form of a diamond; and consist generally of four shafts with intervening hollows. The BASES and CAPITALS are not unfrequently octagonal in form; and the foliage of the latter consists of crumpled leaves, not growing out of the neck of the capital, as in the earlier Periods, but apparently attached to it, or bound round it.

The mouldings of the PIER-ARCHES are fewer in number; they are shallower than those of the preceding Period, and often contain the double Ogee; the walls being thinner, the arches frequently carry, in this Period, as well as in the following one, only two orders of mouldings instead of three. The small square patera, consisting of four leaves, is a common ornament of the Period, and all the foliage is formed of peculiar crumpled leaves, which are easily distinguished from those of the preceding Period.

It is not uncommon in this Period to find the arch mouldings continued, without the intervention of impost or capital, down to the ground; or, inversely, the mouldings of the piers carried uninterruptedly upwards through the arch. This is the case as well in the arches of the Ground-story, as in the windows and doorways.

The TRIFORIUM rarely occurs in its full proportions, and in such cases exhibits the usual window tracery of the Period: it oftener consists of a panel enclosed within the prolonged jambs of the Clere-story window, and is sometimes reduced to a row of quatrefoils.

The CLERE-STORY has its inner arch sometimes foliated, but oftener the window is flush with the face of the inner wall, and the gallery is omitted.

The VAULTING exhibits much more intricacy; and a variety of ribs generally intersect the surface of the different cells.

The AISLE-ARCADE is not often seen.

PRINCIPAL BUILDINGS

OF

THE CURVILINEAR PERIOD.

HOWDEN Collegiate Church Choir. ELY Cathedral Church Lantern. ELY Cathedral Church Choir. ELY Cathedral Church Crauden's Chapel. ELY Cathedral Church Trinity Chapel. HINGHAM St. Andrew's Church Nave. HECKINGTON St. Andrew's Church Chancel, Transepts, Nave. HAWTON All Saints' Church Chancel. EWERBY St. Andrew's Church Chancel, Nave. SLEAFORD St. Giles' Church Nave. CHESTER Cathedral Church South Transept. COVENTRY St. John's Hospital Chapel. CARLISLE Cathedral Church Choir (part). NEWARK St. Mary's Church South Aisle. BEVERLEY St. Mary's Church North Aisle of Choir. SELBY Abbey Church Choir (part). WALSINGHAM Abbey Church Choir. CHESTER Cathedral Church South Transept. NANTWICH St. Mary's Church Chancel. MELROSE Abbey Church Nave, Transept. BOLTON Abbey Church Choir. BOSTON St. Botolph's Church Nave. LICHFIELD Cathedral Church Choir. WELLS Cathedral Church Choir, Lady Chapel. BURY ST. EDMUND'S Abbey Gateway. HULL Holy Trinity Church Chancel.

CHAPTER X.

RECTILINEAR PERIOD.

PRINCIPAL CHARACTERISTIC.

THE PREVALENCE OF STRAIGHT LINES, BOTH HORIZONTAL AND VERTICAL, IN THE TRACERY OF WINDOWS, IN PANELS AND ARCADES.

Exterior Compartment.

The WALLS and BUTTRESSES of this Period present great contrasts, being generally perfectly plain, but occasionally, in the richer buildings, completely covered with rectangular panelling.

The BASE-COURSE is often deep, rises in several stages, and contains a few large bold mouldings.

The mullions of the WINDOWS almost invariably rise vertically through the Tracery, and are often crossed at right angles by other straight lines, as well in the lower part of the Window as in the Tracery itself.

These *Transoms* in some of the larger East and West Windows, occurring at equal intervals, divide the entire design into a series of rectangular compartments, and give to the whole the appearance of a huge gridiron. They are sometimes ornamented with a small battlemented moulding.

The CLERE-STORY WINDOWS, as well as the side windows, where the aisle walls are low, are often square-headed.

The CORNICE generally carries a large shallow hollow, filled at intervals with a square flat leaf, and grotesque sculptures. *Gurgoyles*, formed usually of the head and shoulders of some monster, and projecting from the cornice, for the purpose of carrying the water from the gutters clear of the walls, which occur in the former Period, are now universal.

The PARAPETS are frequently ornamented richly, with rectangular foliated panelling, and covered with a BATTLEMENT. Both are sometimes pierced instead of being panelled.

Interior Compartment.

The PIERS are usually tall and light, and consist generally, as in the preceding Period, of four shafts with intervening hollows, which latter are continued uninterruptedly round the Pier-arch.

Frequently the entire Pier is moulded without shafts, and the whole of the mouldings are carried round the Pier-arch.

The Pier is frequently so disposed that its transverse section is greater than its longitudinal section, or, in other words, it is thicker from North to South than it is from East to West.

The CAPITALS are usually octagonal, but sometimes circular. Foliage is much more rarely seen in their hollows, and they contain plain mouldings of a more angular character generally than in the preceding Period. They are also taller, in comparison, to their diameter. They have sometimes a battlement moulding on their upper edge, which is in other cases often square.

The BASES are generally tall, narrow, and polygonal, and often of several stages.

In the PIER-ARCHES occasionally a form occurs for the first time, which is seen in no other Period. This is the *four-centered* arch, so called from the circumstance of its being drawn from four different centres: its use, however, in *arches of construction*, except in the Vaulting, is by no means so common as in *arches of decoration*, where it continually appears. It is often enclosed in doorways, under a square head. The mouldings of Pier-arches, Window-arches, and all others are usually plain, broad, and shallow; the double Ogee occurs continually, as well as a large shallow hollow, drawn from three centres, between a few small filleted members. Few Arches carry more than two orders.

In the STRING-COURSES, CORNICES, and other hollow mouldings, flat square leaves at intervals, continuous training foliage, and the vine-leaf and grapes, frequently occur; but the relief is usually not considerable, and the amount of undercutting in foliage exhibited in the two previous Periods is never seen. The Tudor Rose and the Tudor Flower are frequent ornaments of this Period.

The TRIFORIUM is rarely seen, and in its place the Clere-story Window is often carried down in blank panelling to the passage or String-course over the Pier-arches. It is sometimes, however, represented by a band of panelling or pierced work.

The CLERE-STORY attains considerable height and importance in this Period; the effect of which, in large buildings, is increased by the suppression of the Triforium, and the substitution in its place of the apparent continuation downwards of the Clere-story. In many buildings the Clere-story windows are in pairs, and so numerous that all blank wall entirely disappears; and the effect of the mass of light thus poured down into the Church is very striking and characteristic.

The VAULTING becomes much more complicated and enriched in this Period. Diverging ribs having bosses and shields at their points of intersection, cover the surface of the Vault: the plans of these vaultings are very various: some are called *Fan-tracery* vaults, and others *Stellar* vaults, terms which explain themselves.

Open wooden roofs of elaborate construction, and large span, become common in this Period. They spring frequently from Corbel shafts, resting on figures in the Clere-story wall; and have rich cornices of mouldings and carved work, traceried spandrels, figures of angels, and richly moulded beams. The AISLE-ARCADE is not often found, but its place is sometimes supplied by the rectangular surface panelling, so characteristic of the Period, which in some of the richer buildings literally covers the whole of the walls, leaving no blank or unoccupied space.

PRINCIPAL BUILDINGS

OF

THE RECTILINEAR PERIOD.

YORK Cathedral Church Choir. WINCHESTER Cathedral Church Nave. CANTERBURY Cathedral Church Transepts. CANTERBURY Cathedral Church Nave. YORK Cathedral Church West Towers. WELLS Cathedral Church Central Tower. BEVERLEY Minster West Front. BRIDLINGTON Priory Church West Front. HOWDEN Collegiate Church Chapter House. CAMBRIDGE St. Mary's Church Nave. LONG MELFORD Holy Trinity Church Chancel, Nave. SAFFRON WALDEN St. Mary's Church Chancel, Nave. LAVENHAM St. Peter and St. Paul's Church Nave. DONCASTER St. George's Church Chancel, Nave. BURY ST. EDMUND'S St. James' Church Chancel, Nave. ROTHERHAM All Saints' Church Nave, Transepts. HULL Holy Trinity Church Nave. WINDSOR St. George's Chapel Chancel, Nave. MANCHESTER Cathedral Church Choir, Nave. TAUNTON St. Mary's Church Nave, Tower. GLOUCESTER Cathedral Church Choir. CAMBRIDGE King's College Chapel. WARWICK St. Mary's Church Beauchamp Chapel. WESTMINSTER Cathedral Church Henry Seventh's Chapel. BATH Abbey Church Choir, Transepts, Nave.

THE SEVEN PERIODS

OF

ENGLISH ARCHITECTURE.

ROMANESQUE.

A.D. A.D. YEARS.

I. SAXON PERIOD from ---- to 1066, prevailed --

II. NORMAN PERIOD " 1066 " 1145, " 79

III. TRANSITIONAL PERIOD " 1145 " 1190, " 45

GOTHIC.

IV. LANCET PERIOD " 1190 " 1245, " 55

V. GEOMETRICAL PERIOD " 1245 " 1315, " 70

VI. CURVILINEAR PERIOD " 1315 " 1360, " 45

VII. RECTILINEAR PERIOD " 1360 " 1550, " 190

LONDON:

PRINTED BY WILLIAM CLOWES AND SONS, LIMITED, STAMFORD STREET AND CHARING CROSS.

[Illustration: NORMAN

Exterior ELY CATHEDRAL. Nave]

[Illustration: NORMAN

Interior ELY CATHEDRAL. Nave]

[Illustration: NORMAN

Exterior PETERBOROUGH CATHEDRAL. Choir]

[Illustration: NORMAN

Interior PETERBOROUGH CATHEDRAL. Choir]

[Illustration: TRANSITIONAL

Exterior RIPON CATHEDRAL. Choir]

[Illustration: TRANSITIONAL

Interior RIPON CATHEDRAL. Choir]

[Illustration: LANCET

Exterior ELY CATHEDRAL. Presbytery]

[Illustration: LANCET.

Interior ELY CATHEDRAL. Presbytery]

[Illustration: LANCET

Exterior LINCOLN CATHEDRAL. Nave]

[Illustration: LANCET

Interior LINCOLN CATHEDRAL. Nave]

[Illustration: LANCET

Exterior LINCOLN CATHEDRAL. Choir]

[Illustration: LANCET

Interior LINCOLN CATHEDRAL. Choir]

[Illustration: GEOMETRICAL

Exterior LINCOLN CATHEDRAL. Presbytery]

[Illustration: GEOMETRICAL

Interior LINCOLN CATHEDRAL. Presbytery]

[Illustration: GEOMETRICAL

Exterior LICHFIELD CATHEDRAL. Nave]

[Illustration: GEOMETRICAL

Interior LICHFIELD CATHEDRAL. Nave]

[Illustration: CURVILINEAR

Exterior ELY CATHEDRAL. Choir]

[Illustration: CURVILINEAR

Interior ELY CATHEDRAL. Choir]

[Illustration: RECTILINEAR

Exterior WINCHESTER CATHEDRAL. Nave]

[Illustration: RECTILINEAR

Interior WINCHESTER CATHEDRAL. Nave]

A SELECTION

FROM

E. & F. N. SPON'S CATALOGUE OF BOOKS.

A HANDBOOK OF FORMULÆ, TABLES, AND MEMORANDA,

For Architectural Surveyors and others engaged in Building. By J. T. HURST, C.E. Fourteenth Edition. Royal 32mo, roan, 5s.

CONTAINING:

Formulae and Tables for the Strength of Materials, Roofs, Water Supply, Drainage, Gas, and other matters useful to Architects and Builders.

Information connected with Sanitary Engineering.

Memoranda on the several trades used in Building, including a description of Materials and Analyses of Prices for Builders' work.

The Practice of Builders' Measurement.

Mensuration and the Division of Land.

Tables of the Weights of Iron and other Building Materials.

Constants of Labour.

Valuation of Property.

Summary of the Practice in Dilapidations.

Scale of Professional Charges for Architects and Surveyors.

Tables of English and French Weights and Measures.

TOWN AND COUNTRY MANSIONS AND SUBURBAN HOUSES,

With Notes on the Sanitary and Artistic Construction of Houses. *Illustrated by 30 plates*, containing Plans, Elevations, Perspectives, and Interior Views of Executed Works in the Queen Anne, Classic, Old English, Adam's, Jacobean, Louis XVI., and other Styles. By WILLIAM YOUNG, Architect, Author, of 'Picturesque Architectural Studies,' 'Spons' Architects' and Builders' Pocket-Book,' Architect of the Glasgow Municipal Buildings, &c. Imperial 4to, handsomely bound in cloth, 1l. 11s. 6d.

ELEMENTARY PRINCIPLES OF CARPENTRY.

By THOMAS TREDGOLD. Revised from the original edition, and partly rewritten, by JOHN THOMAS HURST. Contained in 517 pages of letterpress, and *illustrated with 48 plates and 150 wood engravings*. Fifth Edition. Crown 8vo, handsomely bound in cloth, 12s. 6d.

DOMESTIC ELECTRICITY FOR AMATEURS:

Translated from the French of E. HOSPITALIER, Editor of 'l'Electricien,' with additions, by C. J. WHARTON, Assoc. Soc. Tel. Engineers. *Numerous illustrations*. Demy 8vo, cloth, 9s.

CONTENTS:

1. Production of the Electric Current--2. Electric Bells--3. Automatic Alarms--4. Domestic Telephones--5. Electric Clocks--6. Electric Lighters--7. Domestic Electric Lighting--8. Domestic Application of the Electric Light--9. Electric Motors--10. Electrical Locomotion--11. Electrotyping, Plating, and Gilding--12. Electric Recreations--13. Various Applications--Workshop of the Electrician.

SPONS' HOUSEHOLD MANUAL:

A Treasury of Domestic Receipts and Guide for Home Management. Demy 8vo, cloth, containing 900 pages and 150 *illustrations*, 7s. 6d.

PRINCIPAL CONTENTS:

The Dwelling--Site, Construction, Arrangement, Water Supply, Sanitation, Ventilation, Warming, Lighting, Furnishing, Decorating, Bells, Thieves, Fire. *The Larder*--Storing and Preserving. *The Dairy*--Milk, Butter, Cheese. *The Cellar*--Aërated drinks, Beer, Bitters, Cordials, Liqueurs, Wines, &c. *The Pantry*--Ovens, Bread, Cakes, &c. *The Kitchen*--Ranges, Processes of Cookery, Recipes for Soups, Fish, Meat, Game, Poultry, Puddings, Vegetables, Salads, Eggs, Cheese, Ices, Confectionery, and Foreign Dishes. *The Housewife's Room*--Testing Food, Cleaning, Marketing. *The Dining Room*--Laying and Waiting at Table, Bills of Fare. *The Drawing Room*--Etiquette, Dancing, Theatricals, Games, Puzzles, &c. *The Bedroom*. *The Dressing Room*. *The Nursery*. *The Sickroom*--Nurses and Nursing, Home Remedies, Common Complaints, Accidents, Poisons, &c. *The Bathroom*. *The Laundry*. *The Schoolroom*. *The Playground*. *The Workroom*. *The Library*. *The Workshop*. *The Farmyard*--Horse, Cow, Pig, Poultry. *The Garden*. *Household Law*.

Crown 8vo, cloth, with Illustrations, Price 5s.

WORKSHOP RECEIPTS,

FOR THE USE OF

MANUFACTURERS, MECHANICS, AND SCIENTIFIC AMATEURS.

BY ERNEST SPON.

CONTENTS:

Bookbinding--Bronzes--Candles--Cement--Cleaning--Concretes--
Dyeing--Electro-Metallurgy--Enamels--Engraving--Etching--Firework
Making--Freezing--Fulminates--Furniture Creams, Oils, Polishes, Lacquers, and Pastes--Gilding--Glass
Cutting--Glass Making--Graining--Gums--Horn Working--India-rubber--Ink--Japans --Lacquers--Marble

Working--Matches--Mortars--Paper Hanging-- Painting in Oils--Photography--Polishes--Pottery--Silvering-- Soap--Solders--Taxidermy--Treating Horn, Mother-o'-Pearl, and like substances--Varnishes--Veneering--Whitewashing, &c., &c.

Crown 8vo, cloth, 5s.

WORKSHOP RECEIPTS

(Second Series).

BY ROBERT HALDANE.

Devoted mainly to subjects connected with Chemical Manufactures. An entirely New Volume. Uniform in Size, Style, and Type with the Original 'Workshop Receipts.'

CONTENTS:

Acidimetry and Alkalimetry--Albumen--Alcohol--Alkaloids--Baking Powders--Bitters--Bleaching--Boiler Incrustations--Cements and Lutes--Cleansing--Confectionery--Copying--Disinfectants--Dyeing-- Staining and Colouring--Essences--Extracts--Fireproofing--Gelatine --Glue and Size--Glycerine--Gut--Hydrogen Peroxide--Inks--Iodine --Iodoform--Isinglass--Ivory Substitutes--Leather--Luminous Bodies--Magnesia--Matches--Paper--Parchment--Perchloric Acid-- Pigments--Paint and Painting--Potassium--Oxalate--Preserving.

Crown 8vo, cloth, 5s.

WORKSHOP RECEIPTS

(Third Series).

BY C. G. WARNFORD LOCK, F.L.S.

Devoted mainly to Electrical and Metallurgical subjects.

CONTENTS:

Alloys--Aluminium--Antimony--Barium--Beryllium--Bismuth-- Cadmium--Cæsium--Calcium--Cerrium--Chromium--Cobalt--Copper-- Didymium--Electrics (including alarms, batteries, bells, carbons, coils [induction, intensity, and resistance], dynamo-electric machines, fire risks, measuring, microphones, motors, phonographs, photophones, storing, telephones)--Enamels and Glazes--Erbium--Gallium--Glass--Gold--Indium--Iridium-- Iron--Lacquers--Lanthanum--Lead--Lithium--Lubricants--Magnesium-- Manganese--Mercury--Mica--Molybdenum--Nickel--Nisbium--Osmium-- Palladium--Platinum--Potassium--Rhodium--Rubidium--Ruthenium-- Silenium--Silver--Slag--Sodium--Strontium--Tantalum--Terbium-- Thallium--Thorium--Tin--Titanium--Tungsten--Uranium-- Vanadium-- Yttrium--Zinc--Zirconium.

Crown 8vo, cloth, 5s.

WORKSHOP RECEIPTS

(Fourth Series).

BY C. G. WARNFORD LOCK, F.L.S.

Devoted mainly to Handicrafts and Mechanical subjects.

250 Illustrations, with complete Index and a general Index to the Four Series.

CONTENTS:

Waterproofing: rubber goods, cuprammonium processes, miscellaneous preparations--*Packing and Storing* articles of delicate odour or colour, of a deliquescent character, liable to ignition, apt to suffer from insects or damp, or easily broken--*Embalming and Preserving* anatomical specimens--*Leather Polishes*--*Cooling Air and Water*, producing low temperatures, making ice, cooling syrups and solutions, and separating salts from liquors by refrigeration --*Pumps and Syphons*, embracing every useful contrivance for raising and supplying water on a moderate scale, and moving corrosive, tenacious, and other liquids--*Desiccating*: air-and water-ovens, and other appliances for drying natural and artificial products--*Distilling*: water, tinctures, extracts, pharmaceutical preparations, essences, perfumes, and alcoholic liquids--*Emulsifying* as required by pharmacists and photographers--*Evaporating*: saline and other solutions, and liquids demanding special precautions--*Filtering*: water, and solutions of various kinds--*Percolating and Macerating*--*Electrotyping*--*Stereotyping* by both plaster and paper processes--*Bookbinding* in all its details--*Straw Plaiting* and the fabrication of baskets, matting, &c.--*Musical Instruments*: the preservation, tuning, and repair of pianos, harmoniums, musical instruments, &c.--*Clock and Watch Mending*: adapted for intelligent amateurs--*Photography*: recent development in rapid processes, handy apparatus, numerous recipes for sensitizing and developing solutions, and applications to modern illustrative purposes.

E. & F. N. SPON, 125, Strand, London.

End of the Project Gutenberg EBook of The Seven Periods of English Architecture, by Edmund Sharpe

*** END OF THIS PROJECT GUTENBERG EBOOK THE SEVEN PERIODS OF ENGLISH ***

***** This file should be named 38879-8.txt or 38879-8.zip ***** This and all associated files of various formats will be found in: <http://www.gutenberg.org/3/8/8/7/38879/>

Produced by Chris Curnow, Diane Monico, and the Online Distributed Proofreading Team at <http://www.pgdp.net> (This file was produced from images generously made available by The Internet Archive)

Updated editions will replace the previous one--the old editions will be renamed.

Creating the works from public domain print editions means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg-tm electronic works to protect the PROJECT GUTENBERG-tm concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for the eBooks, unless you receive specific permission. If you do not charge anything for copies of this eBook, complying with the rules is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. They may be modified and printed and given away--you may do practically ANYTHING with public domain eBooks. Redistribution is subject to the trademark license, especially commercial redistribution.

*** START: FULL LICENSE ***

THE FULL PROJECT GUTENBERG LICENSE PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg-tm mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase "Project Gutenberg"), you agree to comply with all the terms of the Full Project Gutenberg-tm License (available with this file or online at <http://gutenberg.org/license>).

Section 1. General Terms of Use and Redistributing Project Gutenberg-tm electronic works

1.A. By reading or using any part of this Project Gutenberg-tm electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg-tm electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg-tm electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. "Project Gutenberg" is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg-tm electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg-tm electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg-tm electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation ("the Foundation" or PGLAF), owns a compilation copyright in the collection of Project Gutenberg-tm electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is in the public domain in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg-tm mission of promoting free access to electronic works by freely sharing Project Gutenberg-tm works in compliance with the terms of this agreement for keeping the Project Gutenberg-tm name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg-tm License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg-tm work. The Foundation makes no representations concerning the copyright status of any work in any country outside the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg-tm License must appear prominently whenever any copy of a Project Gutenberg-tm work (any work on which the phrase "Project Gutenberg" appears, or with which the phrase "Project Gutenberg" is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or

online at www.gutenberg.org

1.E.2. If an individual Project Gutenberg-tm electronic work is derived from the public domain (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase "Project Gutenberg" associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg-tm trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg-tm electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg-tm License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg-tm License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg-tm.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg-tm License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg-tm work in a format other than "Plain Vanilla ASCII" or other format used in the official version posted on the official Project Gutenberg-tm web site (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original "Plain Vanilla ASCII" or other form. Any alternate format must include the full Project Gutenberg-tm License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg-tm works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg-tm electronic works provided that

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg-tm works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg-tm trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."

- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg-tm License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg-tm works.

- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.

- You comply with all other terms of this agreement for free distribution of Project Gutenberg-tm works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg-tm electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from both the Project Gutenberg Literary Archive Foundation and Michael Hart, the owner of the Project Gutenberg-tm trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread public domain works in creating the Project Gutenberg-tm collection. Despite these efforts, Project Gutenberg-tm electronic works, and the medium on which they may be stored, may contain "Defects," such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. **LIMITED WARRANTY, DISCLAIMER OF DAMAGES** - Except for the "Right of Replacement or Refund" described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg-tm trademark, and any other party distributing a Project Gutenberg-tm electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. **YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.**

1.F.3. **LIMITED RIGHT OF REPLACEMENT OR REFUND** - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS' WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. **INDEMNITY**

- You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg-tm electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg-tm electronic works, harmless from all liability, costs and expenses, including legal fees, that arise

directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg-tm work, (b) alteration, modification, or additions or deletions to any Project Gutenberg-tm work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg-tm

Project Gutenberg-tm is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need, are critical to reaching Project Gutenberg-tm's goals and ensuring that the Project Gutenberg-tm collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg-tm and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation web page at <http://www.pgla.org>.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Its 501(c)(3) letter is posted at <http://pgla.org/fundraising>. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's principal office is located at 4557 Melan Dr. S. Fairbanks, AK, 99712., but its volunteers and employees are scattered throughout numerous locations. Its business office is located at 809 North 1500 West, Salt Lake City, UT 84116, (801) 596-1887, email business@pgla.org. Email contact links and up to date contact information can be found at the Foundation's web site and official page at <http://pgla.org>

For additional contact information: Dr. Gregory B. Newby Chief Executive and Director gbnewby@pgla.org

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg-tm depends upon and cannot survive without wide spread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit <http://pgla.org>

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg Web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: <http://pglaf.org/donate>

Section 5. General Information About Project Gutenberg-tm electronic works.

Professor Michael S. Hart is the originator of the Project Gutenberg-tm concept of a library of electronic works that could be freely shared with anyone. For thirty years, he produced and distributed Project Gutenberg-tm eBooks with only a loose network of volunteer support.

Project Gutenberg-tm eBooks are often created from several printed editions, all of which are confirmed as Public Domain in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our Web site which has the main PG search facility:

<http://www.gutenberg.org>

This Web site includes information about Project Gutenberg-tm, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.

The Seven Periods of English Architecture, by

A free ebook from <http://manybooks.net/>